

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claim 1. (currently amended) A light-sensitive composition which comprises a polymer comprising a carboxyl group and a polymerizable double bond at the side chain, an organic borate salt, an ethylenically unsaturated compound, and a hindered amine compound or a protonic acid captor.


Claim 2. (cancelled)

Claim 3. (original) The light-sensitive composition according to Claim 2, wherein the ethylenically unsaturated compound is a polymerizable compound having two or more polymerizable double bond in the molecule.

Claim 4. (original) The light-sensitive composition according to Claim 3, wherein the polymerizable compound is a monomer or an oligomer.


Claim 5. (original) The light-sensitive composition according to Claim 1, wherein the polymer is a polymer having a phenyl group to which a vinyl group is substituted at the side chain.

Claim 6. (original) The light-sensitive composition according to Claim 1, wherein the polymer is a polymer having a group represented by the following formula (4):



wherein Z^1 represents a linking group; R^{11} , R^{12} and R^{13} each represent a hydrogen atom, a halogen atom, a carboxyl group, a sulfo group, a nitro group, a cyano group, an amide group, an amino group, an alkyl group, an aryl group, an alkoxy group or an aryloxy group; R^{14} is a substitutable group or atom; n_1 is 0 or 1; m_1 is an integer of 0 to 4; and k_1 is an integer of 1 to 4, at the side chain.

Claim 7. (original) The light-sensitive composition according to Claim 1, wherein the hindered amine compound is a compound having at least one structural unit represented by the following formula (1):




wherein R^1 , R^2 , R^3 and R^4 each represent a hydrogen atom, an alkyl group or an aryl group; Z represents an atomic group necessary for forming a nitrogen-containing

aliphatic ring; Y represents a hydrogen atom, an alkyl group or an organic residue;
among R¹ and R², or among R³ and R⁴, one of which may be incorporated into Z and
provide a double bond.


Claim 8. (original) The light-sensitive composition according to Claim 1,
wherein the protonic acid captor is a compound which is capable of forming a
difficultly soluble salt by bonding to the protonic acid.

Claim 9. (original) The light-sensitive composition according to Claim 1,
wherein the protonic acid captor is a compound represented by the following formula
(2):



wherein R⁰ represents a hydrogen atom, a substituted or unsubstituted alkyl group, a
substituted or unsubstituted aryl group, a carboxyamide group, a hydroxyl group or a
condensed ring.

Claim 10. (original) The light-sensitive composition according to Claim 1,
wherein the organic borate salt is a compound having an organic boron anion
represented by the following formula (3):



wherein R⁵, R⁶, R⁷ and R⁸ each represent an alkyl group, an aryl group, an aralkyl group, an alkenyl group, an alkynyl group, a cycloalkyl group or a heterocyclic group.

Claim 11. (original) The light-sensitive composition according to Claim 1, wherein the composition further comprises a sensitizing dye which sensitizes the organic borate salt at a wavelength region of 380 nm to 1300 nm.

Claim 12. (original) The light-sensitive composition according to Claim 1, wherein the composition further comprises a sensitizing dye which sensitizes the organic borate salt at a wavelength region of 380 nm to 410 nm.

Claim 13. (original) The light-sensitive composition according to Claim 1, wherein the composition further comprises a sensitizing dye which sensitizes the organic borate salt at a wavelength region of 750 nm or longer.

Claim 14. (original) The light-sensitive composition according to Claim 1, wherein the composition further comprises a trihaloalkyl-substituted compound.

Claim 15. (original) The light-sensitive composition according to Claim 14, wherein the trihaloalkyl-substituted compound is a nitrogen-containing heterocyclic compound having a trihalomethyl group or a trihalomethylsulfonyl compound.

Claim 16. (original) A lithographic printing plate which comprises an aluminum plate and a light-sensitive layer comprising the light-sensitive composition according to Claim 1.